

SYSMAX CORP.

www.nitecore.com

SYSMAX Innovations Co., Ltd.

Rm 2601-06, Central Tower, No.5 Xiancun Road, Tianhe District,
Guangzhou, 510623, Guangdong, China
Tel: +86 20 83862000 Fax: +86 20 83882723
E-mail: info@nitecore.com

0926PCT121

NITECORE®

NITECORE®

**PRODUCT
CATALOGUE**

NITECORE®



02

About NITECORE

10

Tactical Lighting

- 12 Portable Lights
- 32 Signal Lights
- 34 Helmet Lights and Headlamps
- 36 Weapon Mount Lights
- 38 Accessories

46

Power Solution

- Chargers 48
- Outdoor Power 49

64

Body Armor and Packs

- Body Armor 66
- Lightweight Assault System 67

54

Tactical Gear

- 56 Titanium/Aluminum Collection
- 57 Optics
- 58 Tactical Backpacks
- 62 Tactical Belt Pads

74

Apparel

- 76 Base Layer
- 78 Tactical Layer
- 80 Insulation Layer
- 82 Shell


CONTENTS



www.nitecore.com

PLATO






ABOUT NITECORE

Inspired by the notion to "Keep Innovating" with the industry-leading innovative power for 14 years, NITECORE is the first brand to achieve a grand-slam milestone in the industries of professional lighting and chargers to receive the German iF Design Award, Red Dot Design Award, the Japanese G-Mark (Good Design) and the American IDEA, as well as Gold Winners of the ISPO Award and Outstanding Outdoor globally recognized in the outdoor industry.

Our partners include Ultra-Trail Show organized by UTMB, HK100, Rio 2016 Summer Olympics in Brazil and Supreme. We specialize in product lines varying from tactical flashlights to outdoor lighting equipment and power solutions specially designed for law enforcement and military departments, industrial corporations and outdoor enthusiasts worldwide.

Operating in full compliance with ISO9001 and qualified as China's High and New Technology Enterprise (HNTE), NITECORE and its factories have set the most exacting production and testing standards to ensure quality and performance. Our products have gained multiple certifications including CE, RoHS, FCC, CEC, REACH, KC, C-TICK and more. All batteries and chargers are globally insured by Ping An Insurance Group.





PRODUCT AWARDS

Established in 2007, Nitecore has long been at the forefront of technological advancement in portable illumination. Through its tremendous research and development capacity, Nitecore has become the first brand in the professional lighting and illumination industry to receive all four grand international design prizes including the American IDEA, the German iF Design Award, Red Dot Design Award and the Japanese G-Mark (Good Design), in addition to the worldly famous ISPO Award in the outdoor industry. Nitecore products are internationally recognized in over 100 countries.

<p>NPS200/NPS400 Portable Outdoor Power Stations</p>	 
<p>NPS600 Portable Outdoor Power Station</p>	    
<p>TIKI / TIKI LE 300 Lumens Mini Futuristic Keychain Lights</p>	   
<p>21700 Intelligent Battery System</p>	  
<p>TINI SS 380 Lumens</p>	   
<p>LA10 / LA10 CRI Lipstick Camping Light</p>	      
<p>R25 800 Lumens</p>	   
<p>SRT9 2150 Lumens</p>	   

MEDIA RECOGNITION

 <p>P10i 2021 The 10 Best Tactical Flashlights in 2021</p> 	 <p>TM10K 2021 The 16 Brightest Flashlights in 2021</p> 
 <p>i4000R 2020 10 Best Tactical Flashlights in 2020</p> 	 <p>NEW P12 2020 The Best 18650 Lights in 2020</p> 
 <p>TM10K 2019 Best EDC Flashlights</p> 	 <p>P20 2018 Best Self Defense Flashlights</p> 
 <p>MH12GT 2017 Best EDC Flashlights (Best Self-Regulating Flashlight)</p> 	 <p>MH25GT 2017 Best Tactical Flashlights Under \$100 (Best Long Range)</p> 
 <p>NB10000 2021 The Best Ultralight Powerbank of 2021 The Best Backpacking Electronics of 2021</p> 	 <p>NB10000 2020 Best Power Banks for Hiking in 2020</p> 
 <p>NTP31 2021 The 12 Best Tactical Pens for EDC in 2021</p> 	 <p>NTP31 2021 Best Tactical Pens to EDC in 2021</p> 
 <p>NTP30 2020 Best Bolt-Action Pens for EDC in 2020 Best Tactical Pens for EDC in 2020</p> 	 <p>NTP30 2019 Best EDC Finalists - The Seventh Annual Carry Awards</p> 



PATENT

With advanced technologies and technical personnel, Nitecore has been keeping innovating for over the years and has harvested over one hundred invention patents and utility model patents.



2nd GENERATION STROBE READY™ TECHNOLOGY



THE FIRST COAXIAL DUAL OUTPUT HEADLAMP DESIGN IN THE INDUSTRY



INNOVATIVE TWO STAGE SWITCH



21700 i SERIES BATTERY



SPOTLIGHT / FLOODLIGHT ADJUSTABLE E-FOCUS DESIGN



INNOVATIVE ACTIVE DIMMING TECHNOLOGY (ADT)



INNOVATIVE UNIQUE INTEGRATED TECHNOLOGY (UIT)



ADVANCED TEMPERATURE REGULATION (ATR) TECHNOLOGY



POWER INDICATOR TO INDICATE THE BATTERY LEVEL AND BATTERY VOLTAGE



INNOVATIVE MULTIMETER FUNCTIONALITY



THE INDUSTRY'S FIRST FLASHLIGHT UTILIZING INDUCTIVE CHARGING TECHNOLOGY



ALL-IN-ONE HIGHLY COMPATIBLE AND INTELLIGENT CHARGER SERIES

ON-SCREEN MOMENTS



TM26



MH40GT/MH40GTR



TM28



Various Products



TM26GT



MT2A&P12



MT40/MT40GT



HC60



HC50



SRT7/SRT7GT

Note: The screenshots and posters are for reference only. The copyright belongs to their respective production companies.



STROBE READY™

In law enforcement, the strobe flashlight for self-defense is used on potential suspects who may present a danger but are not lethally armed. The strobe light is disorienting to the person it is aimed at which makes it difficult for them to concentrate. Also, they avert their eyes away from the strobing effect. This means it is easier for the police to subdue successfully and control the suspect.



2nd Generation STROBE READY™ Technology

STROBE READY™ Models:
P10i, P20i, P20i UV, P10iX, P20iX, P10 V2, P20 V2,
P20UV V2, CI7



- 1 Specially designed for tactical applications to enable a quick access to STROBE Mode (Patent No.: ZL201320545349.4)
- 2 Inset pedal design to avoid accidental activation (US Patent No.: 15/846299 US10237955B1)

ADVANCED RANDOMLY CHANGING STROBE MODE

The randomly changing frequencies available in the STROBE Mode of latest NITECORE models can cause stronger dizzying effects due to the inadaptability of the naked eyes.

Models with Randomly Changing STROBE Mode:
P10i, P20i, P20i UV, P30i, P10iX, P20iX, CI7, MH12S, MH12 V2,
MH25S, MH25 V2, MH40GTR V2, NPL20, NPL30



TURBOREADY™

NITECORE aims to lead a trend of new tactics with the TurboReady™ technology to enable an instant dazzle strike with a blazing tactical output, in order to produce an abrupt disturbance to your adversary during the day or at night.

NITECORE TurboReady™ Models: TM9K TAC, TM20K



ULTRAVIOLET & INFRARED

The UV light has shorter wavelengths than visible light, and is also known as black light. Ultraviolet LED flashlights are useful in many applications, including identifying forged documents, tracing marked bills, leakage/grease inspection, sanitary check, hunting scorpions etc. The IR light is with wavelengths longer than those of visible light. Extensive uses for military and civilian applications include target acquisition, surveillance, night vision, homing, and tracking.


Ultraviolet Models: SRT7GT, CU6, TIKI, TIKI UV, THUMB LEO

Infrared Models: CI7, NU05 MI



NEXT GENERATION 21700 LI-ION BATTERIES

With an upgraded performance in a similar size featuring long lifespan, high energy density and powerful performance, 21700 Li-ion batteries were first introduced in the electric car industry and are considered to be the future of cylindrical batteries.



With the 18650/CR123 battery magazine, the latest NITECORE 21700 flashlight models have full compatibility of battery sizes and are recommended to be powered by 1 x 21700 battery to gain an extended long runtime while compatible with 1 x 18650 battery or 2 x CR123 / RCR123 batteries.

NITECORE 21700 Flashlight Models:
NEW P30, R40 V2, MH12S, MH12 V2,
MH25S, MH25 V2, MH40GTR V2



REVOLUTIONARY 21700 i SERIES BATTERY

As a patent product developed by NITECORE, the 21700 i Series Battery is a proprietary 21700 rechargeable Li-ion battery featuring dual way output with positive and negative polarities at both ends and a high energy density. It enables a highly efficient output by minimizing the loss of power due to internal resistance while compatible with modular extensions of intelligent communications and controlling systems. (Patent No. ZL201820118916.0, US Patent Pending)

NITECORE i-Generation 21700 Flashlight Models:
P10i, P20i, P20i UV, P10iX, P20iX, P30i



Tactical Lighting

Tiny Monster Series

All of our groundbreaking Tiny Monster models have thoroughly changed the way people think about portable lights, and more importantly, what they actually carry and use. Created for search and rescue as well as outdoor adventures, our Tiny Monster series is now employed in countless professional applications where bright lighting is needed.

▶ TM9K TAC



TURBO/READY™


TurboReady™ Ultra Compact Tactical Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 60h
- + 9 x CREE XP-L2 HD LEDs
- + Built-in Li-ion Battery

9800 Lumens

280 Meters



Features

- + 2nd Generation Inset Pedal Design with dual tail switches
- + The power indicator indicates the remaining battery power
- + Lockout mode available for safe storage
- + Built-in Tactical Ring Design



▶ TM20K



TURBO/READY™

TurboReady™ Ultra High Performance Searchlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 13h
- + 19 x CREE XP-L HD LEDs
- + Built-in Li-ion Battery

20000 Lumens

290 Meters



Features

- + The power indicator indicates the remaining battery power
- + Lockout mode available for safe storage

▶ TM10K




Compact and Intelligent Sharp Light

Specifications

- + Rechargeable
- + Runtime on lowest output level: 200h
- + 6 x CREE XHP35 HD LEDs
- + Built-in rechargeable Li-ion battery

10000 Lumens

288 Meters



Features

- + Combination of dual side switches and a tail switch
- + Multifunctional OLED real-time display
- + Two lockout modes available

▶ TM39


Ultra High Performance Superior Searchlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 36h
- + LUMINUS SBT-90 GEN2 LED
- + NBP68 HD Battery Pack

5200 Lumens

1500 Meters



Features

- + Dual side switches specially designed for glove users
- + Integrated multi-function OLED display
- + Lockout mode available

▶ TM39 Lite


Ultra High Performance Superior Searchlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 20h
- + LUMINUS SBT-90 GEN2 LED
- + Powered by 4 x 18650 Batteries

5200 Lumens

1500 Meters



Features

- + Dual side switches specially designed for glove users
- + Integrated multi-function OLED display
- + Lockout mode available

Precise Series

NITECORE Precise Series flashlights are highly innovative illumination tools purpose-designed for law enforcement, hunting and tactical applications. With incredible user-interface design, these lights allow easy access to all modes and brightness levels. With blazingly bright output in TURBO/STROBE mode, exceptionally long runtimes in LOW mode and unique gun-mounting functionality, the Precise Series flashlights are the ultimate lighting tools for increased tactical effectiveness.

P20iX



Xtreme Performance i-Generation 21700 Tactical Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 350h
- + 4 x CREE XP-L2 V6 LEDs
- + 1 x 21700 i Series Battery
- + 2 x CR123 Batteries

4000 Lumens

221 Meters



NTH20



Law Enforcement



Weapon Mounted



Self Defense



S.O.S Search & Rescue

Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + Strike bezel uses high strength silicon nitride ceramics
- + Tactical Mode and Daily Mode available
- + The power indicator indicates the remaining battery power



TSL10i

Tail Cap Signal Light



F21i

Fast Charging Power System

RSW2i

USB-C Remote Switch

P20i



i-Generation 21700 Tactical Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 38h
- + Luminus SST-40-W LED
- + 1 x 21700 i Series Battery
- + 2 x CR123 Batteries

1800 Lumens

343 Meters



NTH20



Law Enforcement



Self Defense



Weapon Mounted

Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + Strike bezel uses high strength silicon nitride ceramics
- + The power indicator indicates the remaining battery power

P20i UV

UV Version Available

1800 Lumens

337 Meters

320 mW

365 nm

P20 V2

STROBE READY™ High Performance Tactical Flashlight

Specifications

- + Runtime on lowest output level: 55h
- + CREE XP-L2 V6 LED
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

1100 Lumens

222 Meters



NTH20



Law Enforcement



Self Defense



Weapon Mounted

Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + Strike bezel uses high strength silicon nitride ceramics
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power

P20UV V2

UV Version Available

1000 Lumens

164 Meters

320 mW

365 nm

P10iX



Xtreme Performance i-Generation 21700 Ultra Compact Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 350h
- + 4 x CREE XP-L2 V6 LEDs
- + 1 x 21700 i Series Battery
- + 2 x CR123 Batteries

4000 Lumens

158 Meters



Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + Tactical Mode and Daily Mode available
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



NTH10



Law Enforcement



Weapon Mounted



Self Defense



Search & Rescue

P10i



i-Generation 21700 Ultra Compact Tactical Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 38h
- + Luminus SST-40-W LED
- + 1 x 21700 i Series Battery
- + 2 x CR123 Batteries


1800 Lumens

290 Meters



Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



NTH10



Law Enforcement



Weapon Mounted



Self Defense



Law Enforcement



Self Defense



Weapon Mounted



NTH10

P10 V2

STROBE READY™ Ultra Compact Tactical Flashlight

Specifications

- + Runtime on lowest output level: 55h
- + CREE XP-L2 V6 LED
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

1100 Lumens

201 Meters



Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power



P18

Unibody Die-cast Futuristic Tactical Flashlight

Specifications

- + Runtime on lowest output level: 220h
- + CREE XHP35 HD LED
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

1800 Lumens

182 Meters

Features

- + The silent tactical tail switch enables silent operation of the white light
- + The side switch controls the auxiliary red light independently
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The auxiliary red LED indicates the remaining battery power



Self Defense





Search & Rescue



Weapon Mounted



P30i USB-C CHARGING
i-Generation 21700 High Output Searchlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 100h
- + CREE XHP35 HI LED
- + 1 x 21700 i Series Battery
- + 2 x CR123 Batteries

2000 Lumens

1000 Meters

Features

- + Combination of a tail switch and a side switch
- + Dual power indicators can indicate the remaining battery power



1000 Meters
Ultra Long Throw



P30i KIT

NEW P30

Next Generation 21700 Searchlight

Specifications

- + Runtime on lowest output level: 950h
- + CREE XP-L HI V3 LED
- + 1 x 21700 Battery
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

1000 Lumens

618 Meters

Features

- + Combination of a tail switch and a side switch
- + The power indicator indicates the remaining battery power



NEW P30 KIT



Weapon Mounted



Search & Rescue



Smart Ring Tactical Series

The Smart Ring Tactical Series features the 3rd generation of Smart Selector Ring and multiple colored LEDs in a compact flashlight. The unique and user-friendly interface offers a swift and easy access to various brightness levels with a stepless brightness regulation, special modes and even different colored output. It enables the most versatile usage in such an all-in-one flashlight.

SRT7GT

Multi-output SmartRing Tactical Flashlight

Specifications

- + Runtime on lowest output level: 240h
- + CREE XP-L HI V3 LED
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

1000 Lumens

450 Meters

Features

- + Infinitely Variable White Light
- + Red + Blue + Green + UV + 3 Special Modes
- + The 3rd Generation Smart Selector Ring combined with a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power



Third Generation Smart Selector Ring Technology




Law Enforcement



Weapon Mounted



Search & Rescue



Red Light

Low light tactical application, protects night vision




Green Light

Hunting, observing, or checking intricate documents



Blue Light

Blood tracking and oil stain inspection



Ultraviolet

Mining activities, medical investigation, jewel/document/currency inspection

Chameleon Series

The Chameleon series is yet another unique and innovative offering from NITECORE. Featuring two groups of LEDs and an easy switching mechanism, the latest CI7 can provide an ultra high output for each group while bringing unlimited possibilities for our flashlight design. Simply push the head outwards and rotate the head clockwise or counterclockwise to switch between the beams. The industry-leading design of the Chameleon series is another proof of NITECORE's capacity for innovation.

► CU6

Multi-output Tactical UV Flashlight

Specifications

- + Runtime on lowest output level: 400h
- + CREE XP-G2 (R5) LED
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

440
Lumens

3000
mW

365
nm

Features

- + Primary White Light + UV
- + Auxiliary Red + Blue + Green + 4 Special Modes
- + Combination of dual side switches and a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power



Law Enforcement



Weapon Mounted



A tactical flashlight with
Five individual light sources



► CI7

STROBE READY™ Dual Output Tactical IR Flashlight

Specifications

- + Runtime on lowest output level: 130h
- + 4 x CREE XP-G3 S3 LEDs
- + 4 x SST-10-IR LEDs
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

STROBE READY!
ULTIMATE ONE-HANDED OPERATION

2500
Lumens

279
Meters

7000
mW

940
nm

Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Easy dual beam switching mechanism between IR and white beams
- + Tactical Mode and Daily Mode available for the white beam
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



Law Enforcement




Weapon Mounted



Search & Rescue

**Night Vision
Devices Compatible**



The IR beam of the CI7 utilizes 4 x SST-10-IR LEDs (wavelength 940nm) available with 3 output levels.



LOW
1000mW



MID
3000mW



HIGH
7000mW



Rechargeable Series

Rechargeable Series are aimed at your ultimate maneuver. The smart charging docks keep your flashlights always fully-powered for any abrupt cases. With power-booster proprietary Li-ion batteries, the Rechargeable Series flashlights are capable of emitting blinding blaze in no time, smashing up darkness and violence for your law enforcement and tactical tasks.

▶ R40 V2



Inductive Wireless Charging Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 1200h
- + CREE XP-L HI V3 LED
- + 1 x NL2150DW Battery

1000 Lumens

520 Meters

Features

- + Triple charging ways available
- + Dual side switches design
- + Wall mount cradle and desktop cradle included for inductive wireless charging
- + AC adapter and 12V/24V car adapter included
- + The power indicator indicates the remaining battery power



Industry-Leading Wireless Charging Technology



Multitask Hybrid Series

NITECORE Multi-task Hybrid dual-fuel rechargeable flashlights are a popular line of highly versatile and practical illumination tools designed for a multitude of users and applications. Featuring a high-precision long-range reflector, well-spaced brightness settings plus various special modes, the Multitask Hybrid Series is the ultimate lighting tools for hunting, law enforcement, search and rescue.

MH12S



Superior Performance 21700 Dual Fuel Compact Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 1500h
- + Luminus SST-40-W LED
- + 1 x 21700 Battery
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

1800 Lumens

294 Meters

Features

- + NTR10 Tactical Ring Pro compatible
- + Combination of a tail switch and a side switch
- + Tactical Mode and Daily Mode available
- + Electronic reverse polarity protection
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



NTR10




Law Enforcement



Self Defense



Weapon Mounted



MH12 V2



Next Generation 21700 Dual Fuel Tactical Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 1500h
- + CREE XP-L2 V6 LED
- + 1 x 21700 Battery
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

1200 Lumens

202 Meters

Features

- + NTR10 Tactical Ring Pro compatible
- + Combination of a tail switch and a side switch
- + Tactical Mode and Daily Mode available
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



NTR10



Law Enforcement



Self Defense



Weapon Mounted





▶ MH25S



**Superior Performance 21700
Dual Fuel Long Range Flashlight**

Specifications

- + Rechargeable
- + Runtime on lowest output level: 1500h
- + Luminus SST-40-W LED
- + 1 x 21700 Battery
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

**1800
Lumens**

**504
Meters**

Features

- + NTR10 Tactical Ring Pro compatible
- + Combination of a tail switch and a side switch
- + Tactical Mode and Daily Mode available
- + Electronic reverse polarity protection
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



MH25S KIT



Law Enforcement



Weapon Mounted



Self Defense

▶ MH25 V2



**Next Generation 21700 Dual Fuel
Long Range Flashlight**

Specifications

- + Rechargeable
- + Runtime on lowest output level: 1500h
- + CREE XP-L2 LED
- + 1 x 21700 Battery
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

**1200
Lumens**

**475
Meters**

Features

- + NTR10 Tactical Ring Pro compatible
- + Combination of a tail switch and a side switch
- + Tactical Mode and Daily Mode available
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



Law Enforcement



Weapon Mounted



Self Defense



► MH27



Multi-output Dual Fuel Tactical Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 708h
- + Cree XP-L HI V3 LED
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

1000 Lumens

462 Meters

Features

- + Primary White Light
- + Red + Blue + Green + 6 Special Modes
- + Combination of dual side switches and a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power



► MH27UV

Primary White Light
Red + Blue + UV + 6 Special Modes

1000 Lumens

500 mW



Law Enforcement



Self Defense



Weapon Mounted

► MH40GTR V2



Ultra Long Range Dual Fuel Tactical Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 220h
- + High Performance OSRAM LED
- + 2 x 21700 Batteries
- + 2 x 18650 Batteries

1300 Lumens

1300 Meters

Features

- + Combination of a tail switch and a side switch
- + Wireless remote switch available
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



Wireless Remote Switch



Law Enforcement



Weapon Mounted



S.O.S Search & Rescue

Multi-Task Series

Multi-Task Series is a line of highly versatile and practical illumination tools designed for a multitude of users and environments. With a convenient two-mode interface for an easy switch between TURBO and User-Defined Mode, the MT1A and MT2A are becoming the ultimate backup flashlights for police and military forces as they are powered by the AA batteries, one of the most commonly seen power sources.

▶ MT1A

Ultra Compact AA Tactical Flashlight

Specifications

- + Runtime on lowest output level: 60h
- + Cree XP-G2 R5 LED
- + 1 x AA Battery

180 Lumens

115 Meters

Features

- + Combination of dual mode switching mechanism and a tail switch
- + User-defined Mode available



Law Enforcement

Convenient two-mode interface



Law Enforcement

▶ MT2A

Ultra Compact 2AA Tactical Flashlight

Specifications

- + Runtime on lowest output level: 50h
- + Cree XP-G2 R5 LED
- + 2 x AA Batteries

345 Lumens

152 Meters

Features

- + Combination of dual mode switching mechanism and a tail switch
- + User-defined Mode available



T Series

The T series is a collection of mini lights. Small yet powerful, each light comes with multiple features in an extremely mini housing. With a built-in Li-ion battery and a Micro-USB port, it offers flexible charging options and ultimate convenience of use, making it the best gadget on the go that you will carry every day.

▶ T4K



Quad-Core Intelligent Keychain Light

Specifications

- + Rechargeable
- + Runtime on lowest output level: 67h
- + 4 x CREE XP-L2 V6 LEDs
- + Built-in Li-ion Battery

4000 Lumens

209 Meters

Features

- + Dual side switch Design
- + Multifunctional OLED real-time display
- + Two lockout modes available
- + Two user modes available



▶ The TIKI Family



Mini Futuristic Keychain Lights



TIKI / TIKI LE



	TIKI	TIKI GITD	TIKI GITD BLUE	TIKI LE	TIKI UV
Max Output	300 Lumens				1,000mW
Primary Emitter	OSRAM P8 LED				Luminus SST-10-UV LED
Auxiliary Emitters	High CRI White LED			Red LED	2 x High CRI White LEDs
	UV LED (500mW, 365nm)			Blue LED	
Built-in Li-ion Battery	✓	✓	✓	✓	✓
USB Rechargeability	✓	✓	✓	✓	✓
Glow in the Dark	x			x	x

Signal Lights

The NITECORE Signal Lights include the newly designed NU05 LE / NU05 MI which can be attached to the helmet in special operations or in quick deployments. The flashing colors and even IR modes when combined with night vision devices are able to indicate different grouping or to enable quick identification on team members of specific positions. The hook-and-loop attachment on the back ensure a firm and secure attachment to the helmet while they can also be easily clipped to the standard MOLLE system of a body armor or a backpack.

▶ NU05 MI



Mini IR Signal Light

Specifications

- + Rechargeable
- + Runtime on lowest output level: 20h
- + IR 940nm
- + Built-in Li-ion Battery

Features

- + IR Light (940nm) Constant-on + Flashing
- + Green Light Constant-on + Flashing
- + Single switch design



Night Vision Devices Compatible

Mini Signal Light Military Version

Dual Light Sources with 4 Modes Available



IR Flashing



IR Beam



Green Flashing



Green Beam



Mini Signal Light Law Enforcement Version

▶ NU05 LE



Mini Signal Light

Specifications

- + Rechargeable
- + Runtime on lowest output level: 18h
- + 4 high performance LEDs
- + Built-in Li-ion battery



Features

- + Red, Green, Blue, White Flashing
- + Red & Blue Warning Signals
- + Single switch design

Multiple Flashing Modes Available



Green Flashing



Blue Flashing



White Flashing



Red Flashing



Red/Blue Police Warning Flashing

▶ NU07 LE



Rechargeable Signal Light

Specifications

- + Rechargeable
- + Runtime on lowest output level: 50h
- + 5 x High Performance LEDs
- + Built-in Li-ion battery

Features

- + Red, Green, Yellow, White, Blue Constant-on + Flashing Modes
- + Red/Blue Police Warning Flashing
- + Single switch design



11 Modes Available with 5 Light Sources



Red Constant-on / Flashing



Green Constant-on / Flashing



Yellow Constant-on / Flashing



White Constant-on / Flashing



Blue Constant-on / Flashing



Red/Blue Police Warning Flashing

▶ THUMB LEO



Mini Signal Light

Specifications

- + Rechargeable
- + Runtime on lowest output level: >48h
- + Built-in Li-ion battery

45
Lumens

24
Meters

500
mW

365
nm



Law Enforcement Version

Features

- + Primary White + UV Light
- + Red & Blue Warning Signals
- + Dual switch design

Helmet Lights

The NITECORE Helmet Lights are specially designed for law enforcement, military, firefighting, search and rescue. The newly released HC60M and HC65M are equipped with a quick detachable NVG mount based on our award-winning headlamp design, while the NU32 features an ultra lightweight design to ease the burden of wearing or mounting.

▶ HC60M V2



High Performance Tactical Helmet Light With NVG Mount

Specifications

- + Rechargeable
- + Runtime on lowest output level: 680h
- + OSRAM P9 LED
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

1200 Lumens **130 Meters**

Features

- + Single switch design
- + The power indicator indicates the remaining battery power



▶ HC60 V2 Headlamp Version



▶ HC65 V2 Headlamp Version



▶ HC65M V2



Triple Output Tactical Helmet Light With NVG Mount

Specifications

- + Rechargeable
- + Runtime on lowest output level: 800h
- + Luminus SST-40-W LED
- + 1 x 18650 Battery
- + 2 x CR123 Batteries

1750 Lumens **165 Meters**

Features

- + Primary White Light
- + High CRI White Light + Red
- + Single switch design
- + The power indicator indicates the remaining battery power

▶ NU32



Triple Output Ultra Lightweight Headlamp


Specifications

- + Rechargeable
- + Runtime on lowest output level: 330h
- + CREE XP-G3 S3 LED
- + Built-in Li-ion battery

550 Lumens **125 Meters**

Features

- + Primary White Light
- + High CRI White Light + Red
- + Dual switch design
- + The power indicator indicates the remaining battery power



White Red CRI



▶ HM01

High Performance Tactical Helmet Light

Specifications

- + Runtime on lowest output level: 15h
- + Luminus SST-20-W LED
- + 1 x CR123 Battery

320 Lumens **74 Meters**

Features

- + 3D Pivoting System specially designed for ARC Rails
- + Single switch design



3D PIVOTING SYSTEM



Law Enforcement



Weapon Mounted



► NPL20

Universal Compact Weapon Light

Specifications

- + Runtime on lowest output level: 50min
- + CREE XP-G3 S3 LED
- + 1 x CR123 Battery

460
Lumens

76
Meters

Features

- + Ambidextrous activation dual switch design
- + Anti-impact reverse polarity protection mechanism specially designed for shooting sports
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects

► NPL30

High Performance Universal Weapon Light

Specifications

- + Runtime on lowest output level: 1h 45min
- + 4 x CREE XP-G3 LEDs
- + 2 x CR123 Batteries

1200
Lumens

113
Meters

Features

- + Ambidextrous activation dual switch design
- + Electronic reverse polarity protection
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects



Law Enforcement



Weapon Mounted

► LMA1



The LMA1 is a flashlight helmet mount compatible with Ops-Core ARC Rails specially designed for law enforcement, firefighting, search and rescue. Constructed from aero grade aluminum alloy with HA III military grade hard-anodized finish, it features light weight, solidity and excellent impact resistance. It is able to hold a flashlight with a standard tube diameter of 1" (25.4mm) and 360° rotatable with quick and easy adjustment to 8 directions.



► MT10C Helmet Light Set

920 Lumens

190 Meters



► HRM2

Specially designed for law enforcement and firefighting, the HRM2 is a helmet mount constructed from engineering plastic featuring solidity, lightweight and wearproof. It can be easily installed and conveniently adjust the beam angle with a 3D pivoting system.



► Gun Mounts

Constructed with aero grade aluminum alloy with HA III military grade hard-anodized finish, gun mounts are used to fix various tactical flashlights to the gun.

	Type	Compatible Tube Diameter
GM02	Picatinny Rail Mount	1" (25.4mm)
GM02MH	Magnetic Mount	1" (25.4mm)
GM03	Generic Adjustable Mount	0.3"-1.1" (8mm-28mm)
GM04	Generic Fixed Mount	0.7"-1" (18mm-25.4mm)
GM05	Generic Scope Mount	1"-1.2" (25.4mm-30mm)
GM06	Picatinny Rail Mount	1" (25.4mm)



► Tactical Remote Switch

Noiseless pressure pad switch with professional and convenient operation, ideal for law enforcement, hunting and more scenarios.

	Compatible Models
RSW1	SRT7GT, CU6, MH27, MH27 UV
RSW2	P10 V2, P20 V2, P20UV V2
RSW2D	CI7
RSW2i	P10i, P20i, P20i UV, P30i, P10iX, P20iX
RSW3	NEW P30, MH12S, MH12 V2, MH25S, MH25 V2



► Tactical Ring Pro

The NTR10 is a tactical accessory to enable a unique and flexible way of carrying or operating a flashlight. It can be mounted on the specially designed slots of the latest NITECORE tactical flashlights according to the size of the user's hand.



NTR10





NTR10 Operation Guide



1 Compatible with NITECORE tactical holsters to enable a quick and precise operation of the flashlight



2 Used as a tactical striking knuckle when mounted on a flashlight



3 Dual ways of quick detachment to prevent pressure to the fingers



4 Create your unique and flexible way of carrying a flashlight



5 Strengthen your grip to avoid accidental harm to your wrist

► Tactical Holster

Specially designed for law enforcement, the tactical holsters enable a quick draw of the flashlight with an adjustable stopper on the clip to suit belts of various sizes and compatible with the MOLLE System.

Compatible with belts of 1¼", 1½", 1¾", 2" and 2¼"



► NTH25

Compatible models:




P20i

P20i UV

P20iX

P20 V2

P20UV V2



360° Rotatable Mechanism



Upgraded Lockout Design



► NTH10



► NTH20



► Rechargeable Li-ion Batteries

Model	Specification	Capacity
NL1823	18650	2300mAh
NL1826	18650	2600mAh
NL1832	18650	3200mAh
NL1834	18650	3400mAh
NL1835	18650	3500mAh
NL166	16340	650mAh
NL1485	14500	850mAh
NL2140	21700	4000mAh
NL2145	21700	4500mAh
NL2150	21700	5000mAh



► 21700 i Series Battery

Model	Specification	Capacity	Discharge Current
NL2140i	21700	4000mAh	8A
NL2150i	21700	5000mAh	8A
NL2150HPi	21700	5000mAh	15A
NL2142LTHPi	21700	4200mAh	15A



► Micro-USB/USB-C Rechargeable Li-ion Batteries

Model	Specification	Capacity
NL1826R	18650	2600mAh
NL1834R	18650	3400mAh
NL1835R	18650	3500mAh
NL1665R	16340	650mAh
NL1475R	14500	750mAh
NL2140R	21700	4000mAh
NL2150R	21700	5000mAh
NL2150HPR	21700	5000mAh



► Traffic Wand

NTW25, NTW32, NTW34, NTW40



► Diffuser

NDF25, NDF32, NDF34, NDF40



► High Performance Batteries

Model	Specification	Capacity	Discharge Current
NL1835HP	18650	3500mAh	8A
NL1835LTHP	18650	3500mAh	8A
IMR18650 3100mAh(For TM28)	18650	3100mAh	10A
NL2140HP	21700	4000mAh	15A
NL2145HP	21700	4500mAh	15A
NL2150HP	21700	5000mAh	15A
NL2150HPR	21700	5000mAh	15A



► Low-temperature Resistant Batteries

Model	Specification	Capacity	Discharge Current
NL1835LTHP	18650	3500mAh	8A
NL2142LTP	21700	4200mAh	8A
NL2142LTHPR	21700	4200mAh	15A
NL2142LTHPi	21700	4200mAh	15A



► Filters



Model	Compatible Size	Color
NFR23/NFG23/NFB23	22.5mm	RGB
NFR25/NFG25/NFB25	25.4mm	RGB
NFR34/NFG34/NFB34	34mm	RGB
NFR40/NFG40/NFB40	40mm	RGB
NFR50/NFG50	50mm	RG
NFR60/NFG60/NFB60	60mm	RGB
NFR65/NFG65	65mm	RG
NFR70/NFG70	70mm	RG
NFD23	22.5mm	White
NFD25	25.4mm	White
NFD34	34mm	White
NFD40	40mm	White
NFD60	60mm	White

Power Solution





▶ **UM2**

2 BATTERY SLOTS

USB CHARGING

Intelligent USB Dual-Slot Charger

UM2 SPEC	
Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd
Input	DC 5V/2A 9V/2A 18W (MAX)
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%
Output current	QC Mode: 1,500mA*2 (MAX) Standard Mode: 1,000mA*2 (MAX)



▶ **UM4**

4 BATTERY SLOTS

USB CHARGING

Intelligent USB Four-Slot Charger

UM4 SPEC	
Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd
Input	DC 5V/2A 9V/2A 18W (MAX)
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%
Output current	QC Mode: 1,500mA*1 (MAX), 1,500mA*2 (MAX), 750mA*4 (MAX) Standard Mode: 1,500mA*1 (MAX), 1,000mA*2 (MAX), 500mA*4 (MAX)

UM2 & UM4 COMPATIBLE WITH

IMR/Li-ion/LiFePO4: 10440, 14500, 14650, 16500, 16340 (RCR123), 16650, 17350, 17500, 17650, 17670, 17700, 18350, 18490, 18500, 18650, 18700, 20700, 21700, 22500, 22650, 25500, 26500, 26650, 26700
Ni-MH/Ni-Cd: AA, AAA, AAAA, C, D

▶ **UMS2**

2 BATTERY SLOTS

USB CHARGING

Intelligent USB Dual-Slot Superb Charger

UMS2 SPEC	
Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd
Input	DC 5V/2A 9V/2A 18W (MAX)
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%
Output current	QC Mode: 3,000mA*1 (MAX), 2,000mA*2 (MAX) Standard Mode: 2,000mA*1 (MAX), 1,000mA*2 (MAX)



▶ **UMS4**

4 BATTERY SLOTS

USB CHARGING

Intelligent USB Four-Slot Superb Charger

UMS4 SPEC	
Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd
Input	DC 5V/2A 12V/1.5A 18W (MAX)
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%
Output current	QC Mode: 3,000mA*1 (MAX), 2,000mA*2 (MAX), 1,000mA*4 (MAX) Standard Mode: 2,000mA*1 (MAX), 1,000mA*2 (MAX), 500mA*4 (MAX)



UMS2 & UMS4 COMPATIBLE WITH

IMR/Li-ion/LiFePO4: 10440, 14500, 14650, 16500, 16340 (RCR123), 16650, 17350, 17500, 17650, 17670, 17700, 18350, 18490, 18500, 18650, 18700, 20700, 21700, 22500, 22650, 25500, 26500, 26650, 26700
Ni-MH/Ni-Cd: AA, AAA, AAAA, C, D



▶ **NES1200**

Portable Outdoor Power Station

- Dimensions: 317mm x 214mm x 282.5mm (12.48" x 8.43" x 11.12")
- Weight: 10.65kg (23.48lbs)

Mini Fridge 40W 48 Hours	Fan 40W 26 Hours	Projector 100W 10 Hours	Blender 1000W 2.5 Hours	Hammer Drill 1000W 1-2 Hours	Microwave 1200W 0.9-2 Hours
LCD TV 150W 7 Hours	Computer 200W 5.5 Hours	Electric Kettle 800W 1.2 Hours	MacBook Pro 16" 9 Charges	iPhone 12 Pro 90 Charges	Switch 58 Charges

NES1200 SPEC		
Cell	18650 Li-ion Batteries	
Capacity	1252.8Wh (21.6V, 58Ah) (348000mAh)	
DC Input	12V-36V, up to 10A	180W max
USB-C Input	5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=5A	100W max per port
AC Output	220V Version: 220V~6A 50Hz, Pure Sine Wave 110V Version: 110V~11A 60Hz, Pure Sine Wave	1200W, 2200W surge
Cig Lighter Output	12V=10A	120W max
USB-A Output	5V=3A / 9V=2A / 12V=2A / 20V=1.5A	30W max per port
USB-C Output	5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=5A	100W max per port
Operating temperature	-10~40°C (14~104°F)	



▶ **NES500**

Portable Outdoor Power Station

- Dimensions: 262mm x 237mm x 154mm (10.31" x 9.33" x 6.06")
- Weight: 5.65kg (12.46lbs)

NES500 SPEC		
Cell	18650 Li-ion Batteries	
Capacity	518Wh (10.8V, 48Ah) (144000mAh)	
DC Input	14.4V-26V, up to 10A	160W max
AC Output	220V Version: 220V~2.27A 50Hz, Pure Sine Wave 110V Version: 110V~4.54A 60Hz, Pure Sine Wave	500W, 1000W surge
Cig Lighter Output	12V=10A	120W max
USB Output	5V=2.4A	12W max each port
USB-C Output	5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	



► NES300

Portable Outdoor Power Station

- Dimensions: 227mm x 211mm x 129mm (8.94" x 8.31" x 5.08")
- Weight: 3.4kg (7.5lbs)

NES300 SPEC		
Cell	18650 Li-ion Batteries	
Capacity	311Wh (10.8V, 28.8Ah) (86400mAh)	
DC Input	14.4V-26V, up to 10A	160W max
AC Output	220V Version: 220V-0.91A 50Hz, Pure Sine Wave 110V Version: 110V-1.81A 60Hz, Pure Sine Wave	200W, 400W surge
Cig Lighter Output	12V=10A	120W max
USB Output	5V=2.4A	12W max each port
USB-C Output	5V=3A / 9V=3A / 12V=3A / 15V=3A / 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	



► NPS600

Portable Outdoor Power Station

- Dimensions: 244mm x 187.7mm x 157.3mm (9.61" x 7.39" x 6.19")
- Weight: 5.83kg (12.85lbs)

NPS600 SPEC		
Cell	21700 Li-ion Batteries	
Capacity	594Wh (10.8V, 55Ah) (165000mAh)	
DC Input	14.4V-26V, up to 10A	160W max
AC Output	220V Version: 220V-1.36A 50Hz, Pure Sine Wave 110V Version: 110V-2.75A 60Hz, Pure Sine Wave	300W, 600W surge
Cig Lighter Output	12V=10A	Cig Lighter + DC Output: Total 120W max
DC Output	12V=10A	
USB Output	5V=2.4A	12W max each port
USB QC Output	5V=2.4A/9V=2A	18W max
USB-C Output	5V=3A/9V=3A/12V=3A/15V=3A/ 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	



► NPS400

Portable Outdoor Power Station

- Dimensions: 244mm x 187.7mm x 157.3mm (9.61" x 7.39" x 6.19")
- Weight: 5.68kg (12.52lbs)

NPS400 SPEC		
Cell	18650 Li-ion Batteries	
Capacity	421Wh (10.8V, 39Ah) (117000mAh)	
DC Input	14.4V-26V, up to 10A	160W max
AC Output	220V Version: 220V-1.36A 50Hz, Pure Sine Wave 110V Version: 110V-2.75A 60Hz, Pure Sine Wave	300W, 600W surge
Cig Lighter Output	12V=10A	Cig Lighter + DC Output: Total 120W max
DC Output	12V=10A	
USB Output	5V=2.4A	12W max each port
USB QC Output	5V=2.4A/9V=2A	18W max
USB-C Output	5V=3A/9V=3A/12V=3A/15V=3A/ 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	



► NPS200

Portable Outdoor Power Station

- Dimensions: 209mm x 156.3mm x 137.3mm (8.23" x 6.15" x 5.41")
- Weight: 3.35kg (7.39lbs)

NPS200 SPEC		
Cell	18650 Li-ion Batteries	
Capacity	196.56Wh (10.8V, 18.2Ah) (54600mAh)	
DC Input	14.4V-26V, up to 10A	160W max
AC Output	220V Version: 220V-0.68A 50Hz, Pure Sine Wave 110V Version: 110V-1.4A 60Hz, Pure Sine Wave	150W, 300W surge
Cig Lighter Output	12V=10A	Cig Lighter + DC Output: Total 120W max
DC Output	12V=10A	
USB Output	5V=2.4A	12W max each port
USB QC Output	5V=2.4A/9V=2A	18W max
USB-C Output	5V=3A/9V=3A/12V=3A/15V=3A/ 20V=3A	60W max
Operating temperature	-10~40°C (14~104°F)	



► **FSP100**

100W Foldable Solar Panel




► **FSP100W**

100W ETFE Waterproof Foldable Solar Panel



► **NB10000**

Ultra Lightweight Energy Brick
Weight: 150g (5.29oz)




NB10000 SPEC

Cell	Li-ion
Capacity	10,000mAh 3.85V (38.5Wh)
Rated Energy	6,400mAh 5V (TYP 1A)
Input	USB-C: 5V=2.4A / 9V=2A
Output	USB-C: 5V=3A / 9V=2A / 12V=1.5A USB-A: 5V=3A / 9V=2A / 12V=1.5A Dual Ports: 5V=3A (MAX)
Dimensions	121.9mmx59mmx10.6mm (4.8" x2.32" x0.42")

► **NB20000**

Ultra Lightweight Energy Brick
Weight: 324.5g (11.45oz)



NB20000 SPEC

Cell	Li-ion
Capacity	20,000mAh 3.85V (77Wh)
Rated Energy	13,500mAh 5V (TYP 2A)
Input	USB-C (INPUT): 5V=2.4A / 9V=2A / 12V=1.5A USB-C (IN): 5V=2.4A / 9V=3A / 12V=2.5A / 15V=2A / 20V=1.5A
Output	USB-C (OUT1): 5V=2.4A / 9V=3A / 12V=3A / 15V=3A / 20V=2.25A USB-A (OUT2/OUT3): 5V=2.4A / 9V=2A / 12V=1.5A Multi Ports Output: 5V=3A (MAX)
Dimensions	136.3mmx60mmx21.4mm (5.37"x2.36"x0.84")

► **NPB1**

Waterproof Power Bank

NPB1 SPEC

Battery Type	21700 Li-ion Battery
Capacity	5,000mAh 3.64V (18.2Wh)
Rated Energy	3,200mAh 5V (TYP 1A)
Input	Micro-USB: 5V=2A
Output	USB-A: 5V=2.4A 9V=2A (18W MAX)
IP Rating	IP68



IP68

► **NPB2**

Waterproof Power Bank

NPB2 SPEC

Battery Type	21700 Li-ion Batteries
Capacity	10,000mAh 3.64V (36.4Wh)
Rated Energy	6,400mAh 5V (TYP 1A)
Input	Micro-USB: 5V=2A 9V=2A
Output	USB-A: 5V=2.4A 9V=2A 12V=1.5A Single Port: 5V=2.4A 9V=2A 12V=1.5A Dual Ports: 5V=2.4A (18W MAX)
IP Rating	IP68



IP68

► **NPB4**

Waterproof Power Bank

NPB4 SPEC

Battery Type	21700 Li-ion Batteries
Capacity	20,000mAh 3.64V (72.8Wh)
Rated Energy	12,400mAh 5V (TYP 1A)
Input	Micro-USB: 5V=2.4A 9V=2A USB-C: 5V=3A 9V=2A 12V=1.5A
Output	USB-A: 5V=3A 9V=2A 12V=1.5A USB-C: 5V=3A 9V=2A 12V=1.5A Multi Ports: 5V=3A
IP Rating	IP68



IP68

Tactical Gear



▶ **NTP31**

Aluminum Alloy Bolt Action Tactical Pen



▶ **NTP30**

Titanium Alloy Bolt Action Tactical Pen



▶ **1x20**

Red Dot Sight

- + Objective Lens Diameter: 20mm / 0.79"
- + Dimensions: 70x38x35mm / 2.76"x1.50"x1.38"
- + Weight: 118g / 4.16oz



▶ **1x22**


Red Dot Sight

- + Objective Lens Dimensions: 22x18mm / 0.87"x0.71"
- + Length: 49mm / 1.93"
- + Weight: 60g / 2.12oz




▶ **NTP21**

Aluminum Alloy Tactical Pen



▶ **NTP20**

Titanium Alloy Tactical Pen




▶ **NTP10**

Titanium Alloy Tactical Pen



▶ **NTK10**

Titanium Alloy Utility Knife



▶ **NTK07**

Titanium Alloy Ultra-Slim Unibody Knife



▶ **NTK05**

Titanium Alloy Keychain Knife



▶ **NSH10**

Titanium Alloy Multiuse Snap Hook



▶ **NWE30**

Aluminum Alloy Electronic Emergency Whistle



▶ **1-6x24 IR**

Rifle Scope

- + Tube Diameter: 30mm / 1.18"
- + Objective Lens Diameter: 24mm / 0.94"
- + Length: 287mm / 11.3"
- + Weight: 550g / 19.4oz



▶ **3-18x50 IR**

Rifle Scope

- + Tube Diameter: 30mm / 1.18"
- + Objective Lens Diameter: 50mm / 1.97"
- + Length: 378.5mm / 14.9"
- + Weight: 742g / 26.2oz



Designed in Collaboration with Lii Gear
 As a senior military and outdoor enthusiast, Lii established his own backpack brand, Lii Gear, in 2014. His innovative design concepts and unique crafting techniques make them worldwide popular in the backpack community.



Dual Carry Modes

▶ BP18

Commuter Backpack



Features

- + Designed for commuters and overnights
- + Wearproof 500D Nylon fabric with dirt and water resistant coating
- + 18L (1,098 cu in) main compartment available to carry a 14" laptop/tablet
- + Dual frontal and top zipper design for quick storage and access
- + Fishbone Carrying System for outstanding ergonomic comfort and breathability
- + Quick detachable shoulder straps for switching between various carry modes
- + MOLLE Strap System for modular extensions
- + Concealed anti-hook side compartments
- + Large area of interior, frontal and side loop surfaces
- + Straw/cable channel on the top side
- + Premium YKK zippers
- + UTX Duraflex buckles

Specifications

Capacity: 18L / 1,098 cu in
 Dimensions: 47cm x 24cm x 16cm /
 18.5" x 9.4" x 6.3"
 Weight: Approx. 710g / 1.6 lbs




▶ BP20

Multi-Purpose Backpack

Specifications

Capacity: 20L / 1,220 cu in
 Dimensions: 45cm x 28cm x 12cm / 17.7" x 11" x 4.7"
 Weight: Approx. 1,500g / 3.3lbs



Ventilated back enhances air circulation and lightens the burden



▶ BP25

Multi-Purpose Modular Backpack

Specifications

Capacity: 25L / 1,526 cu in
 Dimensions: 45cm x 28cm x 16.5cm / 17.7" x 11" x 6.5"
 Weight: Approx. 1,460g / 3.22lbs



Frontal MOLLE System

Side MOLLE System

Bottom MOLLE System



▶ MP20

20L Modular Backpack



Specifications

Capacity: 20L / 1,220 cu in
 Dimensions: 45cm x 27cm x 15cm / 17.7" x 10.6" x 5.9"
 Weight: Approx. 1,400g / 3.1lbs

▶ MP25

25L Modular Backpack



Specifications

Capacity: 25L / 1,526 cu in
 Dimensions: 50cm x 27cm x 17cm / 19.7" x 10.6" x 6.7"
 Weight: Approx. 1,500g / 3.3lbs

▶ MP30

30L Modular Backpack


Features

- + Designed for long-duration and long-distance operations
- + Excellent and flexible carrying capability in harsh environments
- + Wearproof and water resistant 500D Nylon fabric
- + 30L main compartment with full opening
- + Laser cut MOLLE System for modular extensions
- + Interior design with combination of loop surface and MOLLE System
- + Outstanding carrying system increases the ergonomic comfort
- + Innovative straw/cable holes designed on top of both sides
- + Premium YKK zippers
- + UTX Duraflex buckles
- + Optional inner and outside modules available



Specifications

Capacity: 30L / 1,831 cu in
 Dimensions: 58cm x 27cm x 17cm / 22.8" x 10.6" x 6.7"
 Aux Compartment: 33cm x 25cm x 6cm / 13.0" x 9.8" x 2.4"
 Weight: Approx. 1,600g / 3.5lbs



▶ **MB SL**

Slim Tactical Belt Pad

Features

- + 1000D Nylon
- + 5mm Eva lining
- + 3D mesh backing
- + D ring for suspender or accessories attachment
- + 1 1/2" Nylon woven belt with UTX side release buckle included
- + Additional Cobra belt available

Specifications

Width: 70mm / 2.76"
 Size: L: 98cm-108cm / 39"-43"
 XL: 108cm-118cm / 43"-47"



▶ **MB LW**

Lightweight Tactical Belt Pad

Features

- + 1000D Nylon
- + 5mm Eva lining
- + 3D mesh backing
- + D ring for suspender or accessories attachment
- + 2" Nylon woven belt with UTX side release buckle included

Specifications

Width: 95mm / 3.74"
 Size: L: 98cm-108cm / 39"-43"
 XL: 108cm-118cm / 43"-47"



▶ TACTICAL BELT PADS



▶ **NRB10**

Range Bag

Specifications

Capacity: 20L / 1,220 cu in
 Materials: 900D Polyester Fabrics
 Dimensions: 35cm x 19cm x 28cm / 13.8" x 7.5" x 11.0"
 Weight: 1.6kg (3.5lbs)



Shoulder Bag



Handbag



Carry-on Bag



Car Seat Travel Bag

▶ **NDH10**

Combat Cap



▶ **NDH20**

Boonie Hat



Features



Anti-UV



Anti-humidity



Anti-oil



Anti-deformation




Anti-odor



Body Armor and Packs





► MBBL01

Lightweight Plate Carrier (Water Resistant Version)

Features

- + 500D Nylon with TPU water resistant coating
- + High frequency welding for excellent water-resistant performance
- + Laser-cut MOLLE System
- + Size readjustment device on the back
- + Ballistic plates and inserts available
- + Modular waist panel design
- + Upper back retractable life-saving handle
- + Back area quick storage system
- + Compatible with tactical belts and assault backpacks



Design

The MBBL01 is a lightweight plate carrier featuring outstanding water-resistant performance with a laser-cut MOLLE System for modular extensions, specially designed for naval military operations including sea patrols and amphibious battles. The quick storage system between the bulletproof vest and the backpack is designed to avoid interference with the shooting accuracy.

► MBBG01

Lightweight Assault System (LAS) Intermediate Laser-cut Vest

Features

- + Austrian Cobra quick-release buckles
- + Laser-cut MOLLE System
- + Life-saving rescue and dragging system
- + Replaceable unibody shoulder pads
- + Fast Switching System (FSS) on the waist and back areas
- + Innovative Modular Hook System (MHS) for quick readjustment



Design

The MBBG01 is the intermediate laser-cut vest of the Lightweight Assault System (LAS) designed for security guards, patrols, border control officers and peacekeeping forces. Optimized to tactical movements of the users, it greatly increases the ergonomic comfort by the 3-dimensional cutting design. Compared to the lightweight body armor, it is equipped with a soft protective layer to greatly increase the protective area.




► MBP15L

15L Modular Assault Backpack


Features

- + 1000D Nylon
- + Laser-cut MOLLE System
- + YKK waterproof zippers
- + UTX Mojave buckles
- + Carrying system with EVA foam
- + Straw hole on the top
- + Interfaces for tactical electronic devices
- + Concealed rain cover included



Design

The MBP15L is a 15L (915.4 cu in) modular assault backpack with a rounded body design and concealed zippers to avoid being hooked in the jungle areas. It is available for independent uses and compatible with body armor and plate carriers.



► MBBL05

Lightweight Assault System (LAS) Summer Hollow Vest

Features

- + Austrian Cobra quick-release buckles
- + Laser-cut MOLLE System
- + Air Flow Liners (AFL) for rapid sweat evaporation and quick dry
- + Fast Switching System (FSS) on the waist and back areas
- + Innovative Modular Hook System (MHS) for quick readjustment



Design

The MBBL05 is the summer hollow vest of the Lightweight Assault System (LAS) designed for universal usage of law enforcement and military operations, featuring quick release, quick dry, enhanced offensive and defensive performance. Optimized to tactical movements of the users, it greatly increases the ergonomic comfort by the 3-dimensional cutting design. The large hollow design also achieves an excellent cooling performance.



▶ MBT01

Tactical Belt

Features

- + Specially designed for military training, operations, patrols and daily duty
- + Laser-cut MOLLE System
- + 3-dimensional cutting
- + Trapezoidal protective areas
- + UTX buckles
- + Available for independent uses and compatible with modular extensions



▶ MBR01

Multifunctional Tactical Rifle Bag

Features

- + Suitable for rifles of 0.6-1.2m (1.97'-3.94') long
- + 1000D Nylon
- + Shooting bag and mattress interchangeable
- + 3 strips for binocular bags, rifle magazine pouches etc.
- + Detachable shoulder straps



▶ MBG01

Tactical Chest Bag

Features

- + Specially designed for military training and daily duty
- + Laser-cut MOLLE System
- + YKK waterproof zippers
- + UTX Mojave buckles
- + Hook-and-loop areas



▶ MBG02

Extended Rifle Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic cord linking
- + Multiple rifle mag sizes compatible
- + Universal and quick draw modes available



▶ MBG03

Quick Draw Rifle Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic cord linking
- + Multiple rifle mag sizes compatible



▶ MBG04

Pistol Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple pistol mag sizes compatible
- + Tactical flashlights and multi-tools compatible



▶ **MBG05**

Dual Pistol Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple pistol mag sizes compatible
- + Increased functionality and carrying compatibility



▶ **MBG06**

Quadruple Rifle Magazine Pouch

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + Available for independent uses and compatible with body armor and plate carriers
- + Enables quick draws for requirements of shooting sports



▶ **MBG07**

Octuple Chest Rig Pouch

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + UTX Mojave buckles
- + Detachable back strips
- + Available to carry 4 x rifle magazines, 2 x pistol magazines, 1 x walkie-talkie, 1 x compass, 1 x gadget
- + Available for independent uses and compatible with body armor and plate carriers



▶ **MBG08**

Vest module

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + Outer MOLLE System
- + UTX Mojave buckles
- + Detachable back strips
- + Available for independent uses and compatible with body armor and plate carriers



▶ **MBG09**

Walkie-talkie Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple walkie-talkie sizes compatible



▶ **MBG10**

Radio Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple sizes of radio communication equipment compatible



▶ **MBG11**

Medical Pouch

Features

- + 1000D Nylon
- + Laser-cut MOLLE System
- + Interior and exterior hook-and-loop design
- + Two user modes including Tactical Mode and Duty Mode available
- + Elastic band and paracord compatible



▶ **MBBC01**

Inner Bulletproof Vest

Features

- + Elastic and breathable materials
- + Tactical cutting techniques
- + 3-side size readjustment
- + Laser-cut hook-and-loop areas
- + Frontal Fast Switching System (FSS) for LAS accessories



NITECORE®

Apparel



▶ **MAAB01**

Short Sleeved T/B

Fabric Weight

80 GSM (2.4oz/yd²)

Applicable Temperature

10°C-38°C (50°F-100.4°F)

Design

The MAAB01 is a short-sleeved suit made by anti-UV yarn combined with waterproof materials with anti-hook, anti-pilling and anti-static features. It has a breathable and quick dry design for the ergonomic comfort in vigorous movements.



▶ **MAAB02**

Long Sleeved T/B

Fabric Weight

150 GSM (4.4oz/yd²)

Applicable Temperature

10°C (50°F)

Design

The MAAB02 is a long-sleeved suit featuring one-way-dry, bacteriostatic, antistatic, anti-UV techniques. Specially designed for cold environments, it has a loose and comfortable design suitable for daily wearing.

▶ **MAAB03**

FR Aramid Long Sleeved T/B

Fabric Weight

120 GSM (3.5oz/yd²)

Applicable Temperature

10°C (50°F)

Design

The MAAB03 is an aramid long sleeved suit specially designed for military operations. It is soft and comfortable with flame retardant, heat resistant and antistatic features.



▶ **MAAB04**

FR Polyimide Long Sleeved T/B

Fabric Weight

180 GSM (5.3oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAB04 is a polyimide long sleeved suit specially designed for military operations. It is soft and comfortable with excellent flame retardant, bacteriostatic and thermal performance.





► **MAAT04**

Summer Duty Uniform T/B

Features

- + Breathable, waterproof and quick dry materials
- + High strength elastic and wearproof techniques
- + Joint protection design
- + 3-dimensional cutting
- + YKK zippers
- + UTX buckles



Design

The MAAT04 is a summer duty uniform specially designed for military training and operations. With a superior modular design of simplicity and ergonomics, it is convenient to be readjusted and stored while also suitable for daily outdoor wearing.

► **MAAT06**

Spring/Summer Combat Uniform T/B

Features

- + High strength and wearproof Nylon
- + High quality cotton camo
- + Fire retardant, waterproof and wearproof materials
- + Adjustable protective insets for elbows and knees available
- + Tactical cutting design
- + Breathable channel system



Design

The MAAT06 is a spring/summer combat uniform with multiple versions including Universal Version, Hot Climate Version and Special Forces Version. With a modular design, it guarantees the mobility of the wearer with basic protection, excellent heat dissipation and quick dry performance in vigorous movements.



► **MAAT05**

Summer Combat Uniform T/B

Features

- + Lightweight, elastic, quick dry and anti-hook Nylon
- + Waterproof, wearproof and one-way-dry materials
- + Soft shell materials
- + Joint protection design
- + Hook-and-loop areas
- + Zippered arm pockets for go-to gadgets



Design

The MAAT05 is a lightweight summer combat uniform specially designed for operations in hot environments. With a superior modular design, it greatly improves the flexibility and breathable performance while offering an outdoor protection for the joints of the wearer.



► **MAAT07**

Fall/Winter Combat Uniform T/B

Features

- + Intermediate high strength Nylon
- + High quality anti-IR cotton camo
- + Adjustable protective insets for elbows and knees available
- + Multifunctional zippered pockets
- + Tactical cutting design on top
- + 3-dimensional cutting design on bottom



Design

The MAAT07 is a fall/winter combat uniform specially designed to provide protection and camouflage for operations in harsh environments. With multiple tactical designs, it greatly increases the efficiency of the wearer with large carrying capacity, ultimate flexibility and breathable performance.



▶ **MAAI01**

Short Fleece

Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAI01 is a lightweight short fleece suit designed to keep warm in military operations, featuring windproof, breathable and excellent thermal performance.



▶ **MAAI02**

Long Fleece

Fabric Weight

260 GSM (7.7oz/yd²)

Applicable Temperature

-10°C (14°F)

Design

The MAAI02 is a strengthened long fleece suit designed to keep warm in military operations, featuring windproof, breathable and excellent thermal and compressible performance.

▶ **MAAI03**

FR Polyimide Fleece

Fabric Weight

360 GSM (10.6oz/yd²)

Applicable Temperature

-15°C (5°F)

Design

The MAAI03 is a polyimide fleece suit designed to keep warm in military operations. With a heat resistance of 400 (752), it is soft and comfortable with excellent flame retardant, windproof, breathable and thermal performance.



▶ **MAAI04**

Soft Shell Fleece Coat

Fabric Weight

150 GSM (4.4oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAI04 is a soft shell fleece coat made by elastic materials with waterproof coating, featuring excellent, flame retardant, waterproof and thermal performance.





▶ **MAAS01**

Soft Shell Combat Coat

Fabric Weight

240 GSM (7.1oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAS01 is a soft shell combat coat specially designed for military operations in harsh environments, featuring excellent waterproof, breathable and windproof performance.

▶ **MAAS03**

Warm Parka T/B

Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

-30°C (-22°F)

Design

The MAAS03 is a warm parka with the new nanofoam inset to provide a better dynamic thermal and waterproof performance compared to the ordinary velvet.



▶ **MAAS02**

Hard Shell Trench Coat T/B

Fabric Weight

228 GSM (6.7oz/yd²)

Applicable Temperature

-17°C (1.4°F)

Design

The MAAS02 is a hard shell trench coat specially designed for the harsh environments, featuring excellent waterproof, breathable, windproof and thermal performance with one-way-dry technique.

▶ **MAAS04**

EX Warm Parka T/B

Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

-35°C (-31°F)

Design

The MAAS04 is an EX warm parka with the new nanofoam inset to provide a better dynamic thermal and waterproof performance compared to the ordinary velvet. It also has an excellent moisture proof feature and maintains more 90% of its warmth even in extremely humid environments.



■ PHOTO CREDITS

stanislavpetera
hard_task_photo
AJ Colores
Scott Dalton
Anthony Rowe



All images, text and statements specified herein this catalogue are for reference purpose only. Should any discrepancy occur between this catalogue and information specified on www.nitecore.com, information on our official website shall prevail. Sysmax Innovations Co., Ltd. reserves the rights to interpret and amend the content of this document at any time without prior notice.